

ROLLING COUNTER DOOR

# ROLLING COUNTER SHUTTERS

Models ESC10 and ESC20 (integral frame and sill)



## AN ELEGANT, UNOBTRUSIVE WAY TO SECURE FINISHED OPENINGS

### **SMALLER COMPONENTS DELIVER A CLEAN, PROFESSIONAL APPEARANCE**

Rolling Counter Shutters, also known as Rolling Counter Doors, are used in both interior and exterior applications. Built to exact opening specifications using compact guides, slats, brackets and hoods, they offer a more streamlined look than traditional rolling doors. When a full door with compact door components is desired, full-height units are available.

### **A GREAT CHOICE FOR SERVICE OPENINGS**

Shutters are often used in cafeterias, stadiums, arenas, hospitality and educational facilities, public spaces, healthcare offices, and many other locations.


### **SHUTTERS WITH INTEGRAL FRAMES AND SILLS WORK WITH INTERIOR RATED AND NON-RATED WALLS**

Offering a custom appearance (with no exposed edges) and fast installation, slip-in units arrive ready to be set into existing walls. Units may be used in masonry or drywall openings from 4" to 13" thick.

### **A SPACE-SAVING DESIGN OPTION**

As an alternate design, concealed tubular motors provide a solution for strict dimensional limitations around the header or aesthetic requirements that lend themselves to its smaller, compact design.

## STANDARD COMPONENT MATERIALS AND FINISHES



### OPERATION AND STRUCTURAL REQUIREMENTS

**Hand-crank, push-up and a variety of motor options are available.** All of our rolling products are supported by the guides. There is no additional support required unless hood supports are mandated by a larger opening width.

### OPTIONAL MATERIALS AND FINISHES

- ▶ Aluminum in clear and color anodized
- ▶ Stainless steel - 300 series in #4 finish
- ▶ SpectraShield® Powder Coating in more than 180 colors

#### Brackets, Guides and Bottom Bar

- ▶ Hot-dip galvanizing on steel components
- ▶ Zinc-enriched, corrosion-resistant powder coating in Gray

**HOOD** - Galvanized steel with GalvaNex™ polyester enamel finish to match curtain.

**COUNTER-BALANCE SHAFT** - Steel. Supports curtain and contains torsion springs for assisting operation.

**BRACKETS** - Steel with powder coating to match curtain. Bolt to guide assembly and support counter-balance shaft and curtain.

**GUIDES** - Two piece clear anodized extruded aluminum in clear anodized finish with polypropylene pile runners. Side rail assemblies bolt to the wall and support the entire weight of the unit.

**CURTAIN** - Galvanized steel with GalvaNex polyester enamel finish in Gray or Tan. Interlocking roll-formed flat-faced slats with endlocks riveted to the ends of alternate slats to maintain curtain alignment and prevent wear.

**BOTTOM BAR** - Clear anodized extruded aluminum equipped with vinyl astragal/weather seal. Lock mechanisms available.

### WITH INTEGRAL FRAME AND SILL

**HOOD** - Stainless steel.

**BRACKETS** - Stainless steel.


**CURTAIN** - Stainless steel.

**FRAME** - Welded stainless steel head and jambs. Guide groove is incorporated into jamb design.

**SILL** - Stainless steel provides a seamless, custom look.

**TRIM** - Stainless steel jamb trim angles. Head trim optional.

\* All stainless steel is 300 series in #4 finish



## CUSTOM-DESIGNED SOLUTIONS

Our experienced Architectural Design Support Team can customize our products to fit your specific application. Call 800.294.4358 ext. 1280 or email [ads@cooksondoor.com](mailto:ads@cooksondoor.com).